Material ref AR423 Black Solid EPDM 65° Shore

Material ReferenceColour
423
Black

To Specification- Commercial

Basic Properties	Value	<u>Unit</u>
Base Polymer Type	EPDM	
Indentation Hardness	65 Shore A +/- 5°	Degrees
Specific Gravity	1.4	g/cm3
Tensile Strength - Minimum	5	Mpa
Elongation @ Break - Minimum	300	%
Tear Strength	12	N/mm
Minimum Continuous Working Temperature	-30	°C
Maximum Continuous Working Temperature	110	°C
Compression Set	49	%

Other information

Food Use Suitability: Not Recommended

Abrasion Resistance: Moderate
Ozone Weather Resistance: Good

Electrical Resistance: Not Recommended

General Purpose: Good Issue Date: May 2010

Data has been copied from manufactures/distributors data test sheet and is intended to be used for guidance and come without warranty or guarantee.

As individual operating conditions influence the application of each product, the information supplied in this datasheet can only be seen as a rough guideline

It is the responsibility of you, the customer to assess the suitably of product supplied for the purpose for which it is to be used.

Data sheet is subject to alteration without prior notice. This data sheet supersedes all previous data sheets Rubberonline Terms and conditions apply

(Source ref: 10-16)